



HORTUM SIKMA PRESİ

HOSE CRIMPING MACHINES



D01

D02

PRES
DORA[®]
D01

HORTUM SIKMA PRESİ HOSE CRIMPING MACHINE BORU BÜZME PRESİ PIPE CRIMPING MACHINE



PRESDORA D01 TEKNİK ÖZELLİKLERİ;

Hidrolik Sıkma Kapasitesi: 3/16"-2"
Sıkma Kalıp Adedi: 11
(15-18-21-24-27-33-39-45-51-57-66mm)
Kalıp Parça Adedi: 8
Hızlı Sök-Tak Aparatı : Standart
Ağız Açma Kapasitesi: +34mm
Çalışma Basıncı: 20-350 Bar
Pres Basınç Kuvveti: 200 Ton
Gövde Malzemesi: 7131 Çelik
Yatak ve Kalıp Malzemesi: 4140 Çelik, 60Hrc Sertlik
Ayar Seçenekleri: Mikrometre
Geri Dönüş Mesafe Ayarı: Dijital
Ayak Pedalı: Standart
Elektrik Motoru: 380V, 4KW, 1.500 Dev/Dk
Kontrol Paneli: 24V
En*Boy*Yükseklik: 700*450*1500mm
Makine Net Ağırlığı: 260 Kg.
Alt Dolap Net Ağırlığı: 50 Kg.
Garanti süresi: Mekanik 1 Yıl

PRESDORA D01 SPECIFICATIONS;

Crimping Capacity: From 3/16" To 2"
Die Set Dimensions: 11 Types
15-18-21-24-27-33-39-45-51-57-66 mm
Die Pieces Per Set: 8 Pcs.
Quick Changing Tool: Standard
Power Supply: 380V - 3PH - 4 KW
Jaw Opening Capacity: +34mm
Working Pressure: 20-350 Bar
Total pressure force: 200 Tons
Body Material: 7131 Steel
Housing&Die Material: 4140 Steel, 60 Hrc Hardness
Adjustment Options: Micrometer
Press&Release Distances Settings: Digital
Foot Pedal: Standard
Electric Motor: 380 V, 4 kW, 1.500 rpm
Control Panel Power: 24 V
Width * Length * Height: 450*700*1500mm
Machine Weight (With Cabinet): 310 Kg.
Warranty: 1 Year





PRES DORA D02 TEKNİK ÖZELLİKLERİ;

Hidrolik Sıkma Kapasitesi: 3/16"-2"
Sıkma Kalıp Adedi: 11
(15-18-21-24-27-33-39-45-51-57-66mm)
Kalıp Parça Adedi: 8
Hızlı Sök-Tak Aparatı: Standart
Ağız Açma Kapasitesi: +34mm
Çalışma Basıncı: 20-350 Bar
Pres Basınç Kuvveti: 200 Ton
Gövde Malzemesi: 7131 Çelik
Yatak ve Kalıp Malzemesi: 4140 Çelik, 60Hrc Sertlik
Ayar Seçenekleri: Dijital (LCD Dijital Panel)
Baskı ve Geri Dönüş Mesafe Ayarı: Dijital (LCD Dijital Panel)
Adetli Baskılarda Hedef Adet ve Kalan Adet Gösterimi: Dijital
Baskı Hafıza Kayıt Sayısı: 100
Dil : Türkçe-İngilizce-Arapça-Rusça
Ayak Pedalı: Standart
Elektrik Motoru: 380V, 4KW, 1.500 Dev/Dk
Kontrol Paneli: 24V
En*Boy*Yükseklik: 700*450*1500 mm
Makine Net Ağırlığı: 260 Kg.
Alt Dolap Net Ağırlığı: 50 Kg.
Garanti süresi: Mekanik 1 Yıl

PRES DORA D02 SPECIFICATIONS;

Crimping Capacity: From 3/16" To 2"
Die Set Dimensions: 11 Types
(15-18-21-24-27-33-39-45-51-57-66mm)
Die Pieces Per Set: 8 Pcs.
Quick Changing Tool: Standard
Jaw Opening Capacity: +34mm
Working Pressure: 20-350 Bar
Total pressure force: 200 Tons
Body Material: 7131 Steel
Housing&Die Material: 4140 Steel, 60Hrc Hardness
Adjustment Options: Digital
Press&Release Distances Settings: Digital
Operation Counting: Digital
Number of Setting Record Memory: 100
Available Languages: English, Turkish,
Arabic and Russian
Foot Pedal: Standard
Electric Motor: 380 V, 4 kW, 1.500 Rpm
Control Panel Power: 24 V
Width * Length * Height: 450*700*1500mm
Machine Weight (With Cabinet): 310 Kg.
Warranty: 1 Year



HORTUM SIKMA PRESİ HOSE CRIMPING MACHINES

PRESİ
BORA®



BORA
E N D Ü S T R İ

Fevzi Çakmak Mah. 10753. Sk. Kobisan-3 San. Sit.
No: 30/AAE Karatay, KONYA, TÜRKİYE
Tel: +90 332 342 6550 | Faks: +90 332 345 4100
www.doraendustri.com | info@doraendustri.com

Key
Discover
the potential